



MXconfig Series (non-Java version) Release Notes

Version: v3.1.8	Build: 22033021
Release Date: May 09, 2022	

Applicable Products

AWK-3252A, EDR-810, EDR-G902, EDR-G903, EDR-G9010, EDR-G9010-HV, EDS-405A/408A, EDS-405A/408AEIP, EDS-405A/408A-PN, EDS-405A-PTP, EDS-505A/508A/516A, EDS-510A, EDS-518A, EDS-510E/518E, EDS-528E, EDS-G508E/G512E/G516E, EDS-G512E-8PoE, EDS-608/611/616/619, EDS-G509, EDS-P510, EDS-P510A-8PoE, EDS-P506A-4PoE, EDS-P506E-4PoE, EDS-4008 Series, EDS-4009 Series, EDS-4012 Series, EDS-4014 Series, EDS-G4008 Series, EDS-G4012 Series, EDS-G4014 Series, ICS-G7526/G7528, ICSG7826/G7828, ICSG7748/G7750/G7752, ICS-G7848/G7850/G7852, ICS-G7526A/G7528A, ICSG7826A/G7828A, ICSG7748A/G7750A/G7752A, ICS-G7848A/G7850A/G7852A, IKS-6726/6728, IKSG6524, IKS-G6824, IKS-6728-8PoE, IKS-6726A/6728A, IKS-G6524A, IKS-G6824A, IKS-6728A-8PoE, MDS-G4012, MDS-G4020, MDS-G4028, MDS-G4012-L3, MDS-G4020-L3, MDS-G4028-L3, PT-G7728, PT-G7828, PT-7528, PT-7710, PT-7728, PT7828/7828-PTP, PT-508/510, SDS-3008, SDS-3016, TN-4516A/4524A/4528A, TN-4900 Series, TN-5916, TN-G6512-8PoE/G4516- 8PoE

Supported Operating Systems

Windows 10, Windows 7, Windows Server 2016, Windows Server 2019

New Features

- Supports AWK-3252A Series with Login Token function.
- Supports EDS-4000 and EDS-G4000 Series.

Enhancements

N/A

Bugs Fixed

- Users cannot select the country when the AWK-3252A Series is executing the initiation process.
- When executing the Broadcast Search function, MXconfig will crash sometimes.

Changes

N/A

Notes

N/A



Version: v3.1.6	Build: 22010518
Release Date: Jan 06, 2022	

Applicable Products

EDR-810, EDR-G902, EDR-G903, EDR-G9010, EDR-G9010-HV, EDS-405A/408A, EDS-405A/408A-EIP, EDS405A/408A-PN, EDS-405A-PTP, EDS-505A/508A/516A, EDS-510A, EDS-518A, EDS-510E/518E, EDS528E, EDS-G508E/G512E/G516E, EDS-G512E-8PoE, EDS-608/611/616/619, EDS-G509, EDS-P510, EDS-P510A-8PoE, EDS-P506A-4PoE, EDS-P506E-4PoE, ICS-G7526/G7528, ICS-G7826/G7828, ICSG7748/G7750/G7752, ICS-G7848/G7850/G7852, ICS-G7526A/G7528A, ICS-G7826A/G7828A, ICSG7748A/G7750A/G7752A, ICS-G7848A/G7850A/G7852A, IKS-6726/6728, IKS-G6524, IKS-G6824, IKS-6728-8PoE, IKS-6726A/6728A, IKS-G6524A, IKS-G6824A, IKS-6728A-8PoE, MDS-G4012, MDS-G4020, MDS-G4028, MDS-G4012-L3, MDS-G4020-L3, MDS-G4028-L3, PT-G7728, PT-G7828, PT-7528, PT-7710, PT-7728, PT7828/7828-PTP, PT-508/510, SDS-3008, SDS-3016, TN-4516A/4524A/4528A, TN-4908, TN-5916, TN-G6512-8PoE/G4516- 8PoE

Supported Operating Systems

Windows 10, Windows 7, Windows Server 2016, Windows Server 2019

New Features

- Added the product version and build date to the About section.
- Supports limited functions on the AWK-3252A Series (MXconfig baseline excludes Security Wizard and Login Token).
- Supports LM-7000H-2GPHR module on PT-G7728 platform.
- Supports new devices: SDS-3008 Series, SDS-3016 Series.

Enhancements

N/A

Bugs Fixed

- The Time Setting function on the switches did not update.

Changes

N/A

Notes

N/A



Version: v3.1.4	Build: 21111519
Release Date: Nov 19, 2021	

Applicable Products

EDR-810, EDR-G902, EDR-G903, EDR-G9010, EDR-G9010-HV, EDS-405A/408A, EDS-405A/408A-EIP, EDS405A/408A-PN, EDS-405A-PTP, EDS-505A/508A/516A, EDS-510A, EDS-518A, EDS-510E/518E, EDS528E, EDS-G508E/G512E/G516E, EDS-G512E-8PoE, EDS-608/611/616/619, EDS-G509, EDS-P510, EDS-P510A-8PoE, EDS-P506A-4PoE, EDS-P506E-4PoE, ICS-G7526/G7528, ICS-G7826/G7828, ICSG7748/G7750/G7752, ICS-G7848/G7850/G7852, ICS-G7526A/G7528A, ICS-G7826A/G7828A, ICSG7748A/G7750A/G7752A, ICS-G7848A/G7850A/G7852A, IKS-6726/6728, IKS-G6524, IKS-G6824, IKS-6728-8PoE, IKS-6726A/6728A, IKS-G6524A, IKS-G6824A, IKS-6728A-8PoE, MDS-G4012-L3, MDS-G4020-L3, MDS-G4028-L3, PT-G7728, PT-G7828, PT-7528, PT-7710, PT-7728, PT7828/7828-PTP, PT-508/510, TN-4516A/4524A/4528A, TN-4908, TN-5916, TN-G6512-8PoE/G4516-8PoE, MDS-G4000-10G-cvf

Supported Operating Systems

Windows 10, Windows 7, Windows Server 2016, Windows Server 2019

New Features

- Added support for MXnos v3.0 which includes the Security Wizard function.
- Added support for the SNMP init function. (Can enable SNMP for MXnos and EDR devices. The SNMP Agent is disabled by default.)
- Added support for new devices: EDR-G9010 Series.

Enhancements

- The efficiency of upgrading the EDS-G4000 firmware has been enhanced.

Bugs Fixed

- The SNMP Configuration function in the Preference section was working incorrectly. (Buildcode: 21111116)
- The Preference folder path of the MXconfig software on the local machine was incorrect which may cause MXconfig to be unstable. (Buildcode: 21111519)

Changes

- For v3.1.4 and later, when you install or uninstall the MXconfig software package, MXconfig will remove the following files to ensure the settings are correct: PREFEREENCES_CSHARP.properties, SNMP_SETTING_CSHARP.properties.

Notes

N/A



Version: v3.1.2	Build: 21062514
Release Date: Jun 30, 2021	

Applicable Products

EDR-810, EDR-G902, EDR-G903, EDR-G9010, EDS-405A/408A, EDS-405A/408A-EIP, EDS-405A/408A-PN, EDS-405A-PTP, EDS-505A/508A/516A, EDS-510A, EDS-518A, EDS-510E/518E, EDS-528E, EDS-G508E/G512E/G516E, EDS-G512E-8PoE, EDS-608/611/616/619, EDS-G509, EDS-P510, EDS-P510A-8PoE, EDS-P506A-4PoE, EDS-P506E-4PoE, ICS-G7526/G7528, ICS-G7826/G7828, ICS-G7748/G7750/G7752, ICS-G7848/G7850/G7852, ICS-G7526A/G7528A, ICS-G7826A/G7828A, ICS-G7748A/G7750A/G7752A, ICS-G7848A/G7850A/G7852A, IKS-6726/6728, IKS-G6524, IKS-G6824, IKS-6728-8PoE, IKS-6726A/6728A, IKS-G6524A, IKS-G6824A, IKS-6728A-8PoE, MDS-G4012-L3, MDS-G4020-L3, MDS-G4028-L3 Series, PT-G7728, PT-G7828, PT-7528, PT-7710, PT-7728, PT-7828/7828-PTP, PT-508/510, TN-4516A/4524A/4528A, TN-4908, TN-5916, TN-G6512-8PoE/G4516-8PoE, MDS-G4000-10G-cvf

Supported Operating Systems

Windows 10, Windows 7, Windows Server 2016, Windows Server 2019

New Features

- Supports CLI for MXnos switches.
- Supports the device locator function for MXnos switches.
- The password for MXnos switches can now be changed.

Enhancements

N/A

Bugs Fixed

N/A

Changes

- Support new devices: EDR-G9010 Series, TN-4908 Series, MDS-G4012-L3 Series, MDS-G4020-L3 Series, MDS-G4028-L3 Series

Notes

N/A



Version: v3.1	Build: 21042814
Release Date: Apr 30, 2021	

Applicable Products

EDR-810, EDR-G902, EDR-G903, EDS-405A/408A, EDS-405A/408A-EIP, EDS-405A/408A-PN, EDS-405A-PTP, EDS-505A/508A/516A, EDS-510A, EDS-518A, EDS-510E/518E, EDS-528E, EDS-G508E/G512E/G516E, EDS-G512E-8PoE, EDS-608/611/616/619, EDS-G509, EDS-P510, EDS-P510A-8PoE, EDS-P506A-4PoE, EDS-P506E-4PoE, ICS-G7526/G7528, ICS-G7826/G7828, ICS-G7748/G7750/G7752, ICS-G7848/G7850/G7852, ICS-G7526A/G7528A, ICS-G7826A/G7828A, ICS-G7748A/G7750A/G7752A, ICS-G7848A/G7850A/G7852A, IKS-6726/6728, IKS-G6524, IKS-G6824, IKS-6728-8PoE, IKS-6726A/6728A, IKS-G6524A, IKS-G6824A, IKS-6728A-8PoE, MDS-G4000, PT-G7728, PT-G7828, PT-7528, PT-7710, PT-7728, PT-7828/7828-PTP, PT-508/510, TN-4516A/4524A/4528A, TN-5916, TN-G6512-8PoE/G4516-8PoE

Supported Operating Systems

Windows 10, Windows 7, Windows Server 2016, Windows Server 2019

New Features

A Java license is no longer required.

Enhancements

N/A

Bugs Fixed

N/A

Changes

The following devices are now supported: TN-4516A/4524A/4528A, TN-G6512-8PoE/G4516-8PoE, MDS-G4000-10G-cvf.

Notes

N/A



Version: v3.0	Build: 20122819
Release Date: Jan 01, 2021	

Applicable Products

EDR-810, EDR-G902, EDR-G903, EDS-405A/408A, EDS-405A/408A-EIP, EDS-405A/408A-PN, EDS-405A-PTP, EDS-505A/508A/516A, EDS-510A, EDS-518A, EDS-510E/518E, EDS-528E, EDS-G508E/G512E/G516E, EDS-G512E-8PoE, EDS-608/611/616/619, EDS-G509, EDS-P510, EDS-P510A-8PoE, EDS-P506A-4PoE, EDS-P506E-4PoE, ICS-G7526/G7528, ICS-G7826/G7828, ICS-G7748/G7750/G7752, ICS-G7848/G7850/G7852, ICS-G7526A/G7528A, ICS-G7826A/G7828A, ICS-G7748A/G7750A/G7752A, ICS-G7848A/G7850A/G7852A, IKS-6726/6728, IKS-G6524, IKS-G6824, IKS-6728-8PoE, IKS-6726A/6728A, IKS-G6524A, IKS-G6824A, IKS-6728A-8PoE, PT-G7728, PT-G7828, PT-7528, PT-7710, PT-7728, PT-7828/7828-PTP, PT-508/510, TN-5916, MDS-G4000

Supported Operating Systems

Windows 10, Windows 7, Windows Server 2016, Windows Server 2019

New Features

- A Java license is no longer required.

Enhancements

N/A

Bugs Fixed

N/A

Changes

Only the following features are included:

- Device Search: Broadcast Search, Specific IP Search, IP List Search
- System File Update: Upgrade Firmware, Export Configuration, Import Configuration, Copy Configuration
- Network Settings, Password Settings, Device Locator, Device Console, Telnet Console, Connectivity Test, Unlock Device, Security Wizard, Execute CLI, Reboot, Factory Default
- Multiple Setting: Accessible IP, Account Lockout, Auth Server Settings, Auto Logout, Broadcast Storm Protection, Configuration Encryption, Day Light Saving, GVRP, IGMP Snooping, Industrial Protocol, LLDP Setting, Line Swap Fast Recovery, Management Interface, NTP, Password, Password Policy, SNMP Configuration, Syslog, System Notification, Telnet Console Setting, Time, Trap Configuration
- Preference: SNMP Configuration, Management Interface
- Link Sequence Detection

Notes

N/A